

Universal Fuse Lockout



Universal Fuse Lockout

[Overview](#) [Specifications](#)



Product Highlights

Brady Material Type: Metal, Nylon

Dimensions: 15,00 mm (W) x 35,00 mm (H) x 59,90 mm (D)

Colour: Red





Overview

The fuse lockout device has been designed to prevent the unintended re-energisation of an energy source through a fuse. This device fits most fuse holders between 20 Amps and 400 Amps. This easy to use device creates a more universal approach to locking out your fuses

- Instructions: Clamp onto the fuse holder and use a small flathead screwdriver to tighten the set screw in the device. Place a padlock through the hole to prevent access to the set screw.

Specifications

Key Characteristics

Article Number	873367
Order Reference	FUSE LOCKOUT DEVICE 20-400A
Total Qty per Pack	1 Piece(s) / Pack
Application(s) 	Lockout tagout
Quantity	1
Brand	Brady®
Labels	Yes
Additional Information	Instructions: Clamp onto the fuse holder and use a small flathead screwdriver to tighten the set screw in the device. Place a padlock through the hole to prevent access to the set screw.
Country of Origin 	CN





Dimensions

Size - Length (m)	35.10 mm
Size - Width (mm)	15.00 mm
Size - Height (mm)	35.00 mm
Size - Depth (mm)	59.90 mm
Max. Shackle Diameter (mm)	7.62 mm
Dimensions	15,00 mm (W) x 35,00 mm (H) x 59,90 mm (D)

Material Characteristics

Brady Material Type	Metal, Nylon
Colour	Red
Adhesive (Y/N)	No
Conductive	No


Product Features

Max number of padlocks attached 	1
Risk 	Electrical Risk
Lockout Type	Fuse Lockout

Preprinted Information

Legend	Danger Do Not Remove Locked Out
Legend Language	English

Compliance

UNSPSC 	39121912
RoHS Compliance Status	Not applicable to this product
REACH SVHC Status	Part does not contain an SVHC
REACH Candidate List Date	17 January 2022

