



Roxtec GH frame

The Roxtec GH frame with pre-drilled holes and standard sized flange is bolted to even structures. It makes it possible to maximize the amount of cables/pipes while minimizing the penetration footprint. The rectangular steel frame can be used with a GE extension frame in galvanized steel to cover the depth of a thick wall/floor.

- To be used with corresponding Roxtec components to form a complete sealing solution
- Attachment by bolting to steel or sandwich walls



GH 6x1 GALV



GH 6x2 AISI316

Galvanized mild steel

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxHxD (mm) | Weight (kg) | Art. No |
|---------------|----------------|--------------------|-----------------------------------|-----------------------------------|-------------|----------------|
| GH 2x1 GALV | 1 | 120 x 60 | 252.5 x 233 x 60 | 148(+5/-5) x 128(+5/-5) | 3.2 | 5GH0000008110 |
| GH 2x2 GALV | 2 | 120 x 60 | 383 x 233 x 60 | 278(+5/-5) x 128(+5/-5) | 5.7 | 5GH00000010019 |
| GH 2x3 GALV | 3 | 120 x 60 | 513.5 x 233 x 60 | 409(+5/-5) x 128(+5/-5) | 8 | 107959 |
| GH 2x4 GALV | 4 | 120 x 60 | 644 x 233 x 60 | 539(+5/-5) x 128(+5/-5) | 9.8 | 5GH00000010018 |
| GH 2x5 GALV | 5 | 120 x 60 | 774.5 x 233 x 60 | 670(+5/-5) x 128(+5/-5) | 11.8 | 5GH00000010017 |
| GH 2x6 GALV | 6 | 120 x 60 | 905 x 233 x 60 | 800(+5/-5) x 128(+5/-5) | 14 | 114880 |
| GH 2+2x1 GALV | 2 | 120 x 60 | 252.5 x 344 x 60 | 148(+5/-5) x 241(+5/-5) | 5.5 | 114890 |
| GH 2+2x2 GALV | 4 | 120 x 60 | 383 x 346 x 60 | 278(+5/-5) x 241(+5/-5) | 9 | 114891 |
| GH 2+2x3 GALV | 6 | 120 x 60 | 513.5 x 346 x 60 | 409(+5/-5) x 241(+5/-5) | 12.6 | 114892 |
| GH 2+2x4 GALV | 8 | 120 x 60 | 644 x 346 x 60 | 539(+5/-5) x 241(+5/-5) | 16 | 114893 |
| GH 2+2x5 GALV | 10 | 120 x 60 | 774.5 x 346 x 60 | 670(+5/-5) x 241(+5/-5) | 17.9 | 114894 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxHxD (mm) | Weight (kg) | Art. No |
|---------------|----------------|--------------------|--------------------------------|--------------------------------|-------------|---------------|
| GH 2+2x6 GALV | 12 | 120 x 60 | 905 x 346 x 60 | 800(+5/-5) x 241(+5/-5) | 21.1 | 114895 |
| GH 4x1 GALV | 1 | 120 x 120 | 252.5 x 291.5 x 60 | 148(+5/-5) x 187(+5/-5) | 4 | 5GH0000008119 |
| GH 4x2 GALV | 2 | 120 x 120 | 383 x 291.5 x 60 | 278(+5/-5) x 187(+5/-5) | 6.7 | 5GH0000008170 |
| GH 4x3 GALV | 3 | 120 x 120 | 513.5 x 291.5 x 60 | 409(+5/-5) x 187(+5/-5) | 9 | 5GH0000008520 |
| GH 4x4 GALV | 4 | 120 x 120 | 644 x 291.5 x 60 | 539(+5/-5) x 187(+5/-5) | 11.5 | 5GH0000008021 |
| GH 4x5 GALV | 5 | 120 x 120 | 774.5 x 291.5 x 60 | 670(+5/-5) x 187(+5/-5) | 17.7 | 106231 |
| GH 4x6 GALV | 6 | 120 x 120 | 905 x 291.5 x 60 | 800(+5/-5) x 187(+5/-5) | 15.5 | 110385 |
| GH 4+4x1 GALV | 2 | 120 x 120 | 252.5 x 461 x 60 | 148(+5/-5) x 358(+5/-5) | 7.1 | 5GH0000009866 |
| GH 4+4x2 GALV | 4 | 120 x 120 | 383 x 463 x 60 | 278(+5/-5) x 358(+5/-5) | 11.4 | 5GH0000009119 |
| GH 4+4x3 GALV | 6 | 120 x 120 | 514 x 463 x 60 | 409(+5/-5) x 358(+5/-5) | 14.9 | 103543 |
| GH 4+4x4 GALV | 8 | 120 x 120 | 644 x 463 x 60 | 539(+5/-5) x 358(+5/-5) | 18.6 | 5GH0000013818 |
| GH 4+4x5 GALV | 10 | 120 x 120 | 774.5 x 463 x 60 | 670(+5/-5) x 358(+5/-5) | 25 | 104530 |
| GH 4+4x6 GALV | 12 | 120 x 120 | 905 x 463 x 60 | 800(+5/-5) x 358(+5/-5) | 27 | 114934 |
| GH 6x1 GALV | 1 | 120 x 180 | 252.5 x 350 x 60 | 148(+5/-5) x 245(+5/-5) | 4.4 | 5GH0000007882 |
| GH 6x2 GALV | 2 | 120 x 180 | 383 x 350 x 60 | 278(+5/-5) x 245(+5/-5) | 7.3 | 5GH0000007828 |
| GH 6x3 GALV | 3 | 120 x 180 | 513.5 x 350 x 60 | 409(+5/-5) x 245(+5/-5) | 10.6 | 5GH0000008108 |
| GH 6x4 GALV | 4 | 120 x 180 | 644 x 350 x 60 | 539(+5/-5) x 245(+5/-5) | 13 | 5GH0000008086 |
| GH 6x5 GALV | 5 | 120 x 180 | 774.5 x 350 x 60 | 670(+5/-5) x 245(+5/-5) | 15.8 | 5GH0000008232 |
| GH 6x6 GALV | 6 | 120 x 180 | 905 x 350 x 60 | 800(+5/-5) x 245(+5/-5) | 18.4 | 5GH0000008103 |
| GH 6+6x1 GALV | 2 | 120 x 180 | 252.5 x 578 x 60 | 148(+5/-5) x 475(+5/-5) | 8.5 | 5GH0000008102 |
| GH 6+6x2 GALV | 4 | 120 x 180 | 383 x 580 x 60 | 278(+5/-5) x 475(+5/-5) | 12 | 5GH0000008104 |
| GH 6+6x3 GALV | 6 | 120 x 180 | 513.5 x 580 x 60 | 409(+5/-5) x 475(+5/-5) | 17 | 5GH0000008109 |
| GH 6+6x4 GALV | 8 | 120 x 180 | 644 x 580 x 60 | 539(+5/-5) x 475(+5/-5) | 22 | 5GH0000008105 |
| GH 6+6x5 GALV | 10 | 120 x 180 | 774.5 x 580 x 60 | 670(+5/-5) x 475(+5/-5) | 25.8 | 5GH0000008123 |
| GH 6+6x6 GALV | 12 | 120 x 180 | 905 x 580 x 60 | 800(+5/-5) x 475(+5/-5) | 29.2 | 5GH0000010485 |
| GH 8x1 GALV | 1 | 120 x 240 | 252.5 x 410 x 60 | 148(+5/-5) x 305(+5/-5) | 5.2 | GH08000002115 |
| GH 8x2 GALV | 2 | 120 x 240 | 383 x 410 x 60 | 278(+5/-5) x 305(+5/-5) | 8.7 | 5GH0000008907 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxHxD (mm) | Weight (kg) | Art. No |
|---------------|----------------|--------------------|--------------------------------|--------------------------------|-------------|---------------|
| GH 8x3 GALV | 3 | 120 x 240 | 513.5 x 410 x 60 | 409(+5/-5) x 305(+5/-5) | 11.7 | 5GH0000008470 |
| GH 8x4 GALV | 4 | 120 x 240 | 644 x 410 x 60 | 539(+5/-5) x 305(+5/-5) | 14.8 | 5GH0000008107 |
| GH 8x5 GALV | 5 | 120 x 240 | 774.5 x 410 x 60 | 670(+5/-5) x 305(+5/-5) | 17.8 | 5GH0000009784 |
| GH 8x6 GALV | 6 | 120 x 240 | 905 x 410 x 60 | 800(+5/-5) x 305(+5/-5) | 18.5 | 5GH0000008001 |
| GH 8+8x1 GALV | 2 | 120 x 240 | 252.5 x 698 x 60 | 148(+5/-5) x 595(+5/-5) | 9.8 | 5GH0000009297 |
| GH 8+8x2 GALV | 4 | 120 x 240 | 383 x 700 x 60 | 278(+5/-5) x 595(+5/-5) | 15 | 5GH0000008871 |
| GH 8+8x3 GALV | 6 | 120 x 240 | 513.5 x 700 x 60 | 409(+5/-5) x 595(+5/-5) | 20 | 5GH0000010269 |
| GH 8+8x4 GALV | 8 | 120 x 240 | 644 x 700 x 60 | 539(+5/-5) x 595(+5/-5) | 25 | 114988 |
| GH 8+8x5 GALV | 10 | 120 x 240 | 774.5 x 700 x 60 | 670(+5/-5) x 595(+5/-5) | 29.9 | 5GH0000013719 |
| GH 8+8x6 GALV | 12 | 120 x 240 | 905 x 700 x 60 | 800(+5/-5) x 595(+5/-5) | 34.6 | 114989 |

Stainless steel

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxHxD (mm) | Weight (kg) | Art. No |
|------------------|----------------|--------------------|--------------------------------|--------------------------------|-------------|---------------|
| GH 2x1 AISI316 | 1 | 120 x 60 | 252.5 x 233 x 60 | 148(+5/-5) x 128(+5/-5) | 3.5 | 5GH0000008472 |
| GH 2x2 AISI316 | 2 | 120 x 60 | 383 x 233 x 60 | 278(+5/-5) x 128(+5/-5) | 5.5 | 115008 |
| GH 2x3 AISI316 | 3 | 120 x 60 | 513.5 x 233 x 60 | 409(+5/-5) x 128(+5/-5) | 7.5 | 5GH0000009290 |
| GH 2x4 AISI316 | 4 | 120 x 60 | 644 x 233 x 60 | 539(+5/-5) x 128(+5/-5) | 9.4 | 5GH0000009293 |
| GH 2x5 AISI316 | 5 | 120 x 60 | 774.5 x 233 x 60 | 670(+5/-5) x 128(+5/-5) | 12 | 108709 |
| GH 2x6 AISI316 | 6 | 120 x 60 | 905 x 233 x 60 | 800(+5/-5) x 128(+5/-5) | 13.4 | 115009 |
| GH 2+2x1 AISI316 | 2 | 120 x 60 | 252.5 x 344 x 60 | 148(+5/-5) x 241(+5/-5) | 5.5 | 115019 |
| GH 2+2x2 AISI316 | 4 | 120 x 60 | 383 x 346 x 60 | 278(+5/-5) x 241(+5/-5) | 8.7 | 115020 |
| GH 2+2x3 AISI316 | 6 | 120 x 60 | 513.5 x 346 x 60 | 409(+5/-5) x 241(+5/-5) | 11.9 | 115021 |
| GH 2+2x4 AISI316 | 8 | 120 x 60 | 644 x 346 x 60 | 539(+5/-5) x 241(+5/-5) | 15.2 | 115022 |
| GH 2+2x5 AISI316 | 10 | 120 x 60 | 774.5 x 346 x 60 | 670(+5/-5) x 241(+5/-5) | 18.4 | 115023 |
| GH 2+2x6 AISI316 | 12 | 120 x 60 | 905 x 346 x 60 | 800(+5/-5) x 241(+5/-5) | 21.6 | 115024 |
| GH 4x1 AISI316 | 1 | 120 x 120 | 252.5 x 291.5 x 60 | 148(+5/-5) x 187(+5/-5) | 4.1 | 5GH0000008351 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxHxD (mm) | Weight (kg) | Art. No |
|--------------------|----------------|--------------------|--------------------------------|--------------------------------|-------------|---------------|
| GH 4x2 AISI316 | 2 | 120 x 120 | 383 x 291.5 x 60 | 278(+5/-5) x 187(+5/-5) | 6.5 | 5GH0000009761 |
| GH 4x3 AISI316 | 3 | 120 x 120 | 513.5 x 291.5 x 60 | 409(+5/-5) x 187(+5/-5) | 8.7 | 5GH0000012961 |
| GH 4x4 AISI316 | 4 | 120 x 120 | 644 x 291.5 x 60 | 539(+5/-5) x 187(+5/-5) | 10.8 | 5GH0000009291 |
| GH 4x5 AISI316 | 5 | 120 x 120 | 774.5 x 291.5 x 60 | 670(+5/-5) x 187(+5/-5) | 13.2 | 5GH0000012899 |
| GH 4x6 AISI316 | 6 | 120 x 120 | 905 x 291.5 x 60 | 800(+5/-5) x 187(+5/-5) | 15.7 | 105948 |
| GH 4+4x1 AISI316 | 2 | 120 x 120 | 252.5 x 461 x 60 | 148(+5/-5) x 358(+5/-5) | 7 | 115063 |
| GH 4+4x2 AISI316 | 4 | 120 x 120 | 383 x 463 x 60 | 278(+5/-5) x 358(+5/-5) | 10.4 | 115064 |
| GH 4+4x3 AISI316 | 6 | 120 x 120 | 513.5 x 463 x 60 | 409(+5/-5) x 358(+5/-5) | 14.5 | 5GH0000011312 |
| GH 4+4x4 AISI316 | 8 | 120 x 120 | 644 x 463 x 60 | 539(+5/-5) x 358(+5/-5) | 18 | 5GH0000009289 |
| GH 4+4x5 AISI316 | 10 | 120 x 120 | 774.5 x 463 x 60 | 670(+5/-5) x 358(+5/-5) | 22 | 115065 |
| GH 4+4x6 AISI316 | 12 | 120 x 120 | 905 x 463 x 60 | 800(+5/-5) x 358(+5/-5) | 25.8 | 115066 |
| GH 6x1 AISI316 | 1 | 120 x 180 | 252.5 x 350 x 60 | 148(+5/-5) x 245(+5/-5) | 4.9 | 5GH0000008261 |
| GH 6x2 AISI316 | 2 | 120 x 180 | 383 x 350 x 60 | 278(+5/-5) x 245(+5/-5) | 7.3 | 5GH0000008179 |
| GH 6x3 AISI316 | 3 | 120 x 180 | 513.5 x 350 x 60 | 409(+5/-5) x 245(+5/-5) | 10.1 | 5GH0000009292 |
| GH 6x4 AISI316 | 4 | 120 x 180 | 644 x 350 x 60 | 539(+5/-5) x 245(+5/-5) | 12.6 | 5GH0000007904 |
| GH 6x5 AISI316 | 5 | 120 x 180 | 774.5 x 350 x 60 | 670(+5/-5) x 245(+5/-5) | 15.3 | 5GH0000008176 |
| GH 6x6 AISI316 | 6 | 120 x 180 | 905 x 350 x 60 | 800(+5/-5) x 245(+5/-5) | 19.8 | 115095 |
| GH 6+6x1 AISI316 | 2 | 120 x 180 | 252.5 x 578 x 60 | 148(+5/-5) x 475(+5/-5) | 8.1 | 5GH0000011313 |
| GH 6+6x2 AISI316 | 4 | 120 x 180 | 383 x 580 x 60 | 278(+5/-5) x 475(+5/-5) | 12.7 | 5GH0000013151 |
| GH 6+6x3 AISI316 | 6 | 120 x 180 | 513.5 x 580 x 60 | 409(+5/-5) x 475(+5/-5) | 16.5 | 5GH0000009048 |
| GH 6+6x4 AISI316 | 8 | 120 x 180 | 644 x 580 x 60 | 539(+5/-5) x 475(+5/-5) | 21 | 115105 |
| GH 6+6x5 AISI316 | 10 | 120 x 180 | 774.5 x 580 x 60 | 670(+5/-5) x 475(+5/-5) | 26.5 | 5GH0000008177 |
| GH 6+6+6x1 AISI316 | 3 | 120 x 180 | 252.5 x 806 x 60 | 148(+5/-5) x 705(+5/-5) | 10.9 | 103813 |
| GH 8x1 AISI316 | 1 | 120 x 240 | 252.5 x 410 x 60 | 148(+5/-5) x 305(+5/-5) | 5.5 | 5GH0000008395 |
| GH 8x2 AISI316 | 2 | 120 x 240 | 383 x 410 x 60 | 278(+5/-5) x 305(+5/-5) | 8.2 | 5GH0000008124 |
| GH 8x3 AISI316 | 3 | 120 x 240 | 513.5 x 410 x 60 | 409(+5/-5) x 305(+5/-5) | 12.4 | 5GH0000009294 |
| GH 8x4 AISI316 | 4 | 120 x 240 | 644 x 410 x 60 | 539(+5/-5) x 305(+5/-5) | 16 | 5GH0000008380 |

| Product | Frame openings | Packing space (mm) | External dimensions WxHxD (mm) | Aperture dimensions WxHxD (mm) | Weight (kg) | Art. No |
|------------------|----------------|--------------------|-----------------------------------|-----------------------------------|-------------|---------------|
| GH 8x5 AISI316 | 5 | 120 x 240 | 774.5 x 410 x 60 | 670(+5/-5) x 305(+5/-5) | 17 | 5GH0000008178 |
| GH 8x6 AISI316 | 6 | 120 x 240 | 905 x 410 x 60 | 800(+5/-5) x 305(+5/-5) | 19.4 | 5GH0000008381 |
| GH 8+8x1 AISI316 | 2 | 120 x 240 | 252.5 x 698 x 60 | 148(+5/-5) x 595(+5/-5) | 9.6 | 5GH0000011001 |
| GH 8+8x4 AISI316 | 8 | 120 x 240 | 644 x 700 x 60 | 539(+5/-5) x 595(+5/-5) | 24 | 5GH0000009296 |
| GH 8+8x5 AISI316 | 10 | 120 x 240 | 774.5 x 700 x 60 | 670(+5/-5) x 595(+5/-5) | 29 | 5GH0000009295 |